

**Red Dragon**  
Lakeland, FL 33813

Project 11/03/2023

## COMPLIANCE FOR RETAIL

**Sample Name: Apple Jacks THC-A Flower - Hybrid**

Lab Sample ID: F311025-01  
Retail Batch Total Wt/Vol: N/A  
Retail Batch Date: N/A

Matrix: Inhalable Flower  
Retail Batch Total Units: N/A  
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 11/03/2023  
Date Received: 11/03/2023  
Date Reported: 11/08/2023



<b>Total Cannabinoids</b>	
<b>29.3%</b>	
<b>Major Cannabinoids</b>	
<b>Total CBD</b>	<b>Total THCA</b>
<b>0.0558%</b>	<b>26.3%</b>
<b>0.558 mg/g</b>	<b>263 mg/g</b>
<b>Minor Cannabinoids *</b>	
<b>CBGA</b>	<b>CBG</b>
<b>0.700%</b>	<b>0.106%</b>
<b>7.00 mg/g</b>	<b>1.06 mg/g</b>

\* Most abundant

### Cannabinoids

Date Prepared: 11/03/23 13:37      Prep ID: NS      Specimen Prep: 0.2703 g / 10 mL  
Date Analyzed: 11/07/23 01:42      Analyst ID: SP      Instrument: HPLC  
Lab Batch: B23K007      Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	
			%	mg/g
CBC	10	0.0370	ND	ND
CBCA	10	0.0370	0.222	2.22
CBD	10	0.0370	ND	ND
CBDa	10	0.0370	0.0636	0.636
CBDV	10	0.0370	ND	ND
CBDVA	10	0.0370	ND	ND
CBG	10	0.0370	0.106	1.06
CBGA	10	0.0370	0.700	7.00
CBN	10	0.0370	0.0385	0.385
delta-8-THC	10	0.0370	ND	ND
delta-9-THC	10	0.0370	0.29	2.9
THCA	100	0.370	24.8	248
THCV	10	0.0370	ND	ND
THCVA	10	0.0370	0.0988	0.988

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A \* 0.877), Total THC = THCA-A \* 0.877 + Delta 9 THC  
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



**PJLA**  
Testing  
Accreditation#: 109150



Dr. Harry Bezhadi, PhD.  
President, CEO

